



## Lead Ore Mixer Tank Auxiliary Mining Machinery

Our Product Introduction

for more products please visit us on [mining-crushermachine.com](http://mining-crushermachine.com)

### Basic Information

- Place of Origin: China
- Brand Name: Ascend
- Certification: CE/ISSO9001
- Model Number: MX1000 MX1200 MX1500
- Minimum Order Quantity: 1 set
- Price: USD 3500-30000 Per set
- Packaging Details: Water and rust proof in wooden box or cotainer
- Delivery Time: 7-10 working days
- Payment Terms: T/T, Western Union, MoneyGram
- Supply Ability: 10 set per month



### Product Specification

- Certification: CE,ISO9001
- Condition: New
- Dimension(l\*w\*h): Depend,1215x860x1415mm
- Capacity: Optional,250-300kg (30mesh
- Name: Mining Mixer Tank
- Application: Mining Ore Grinding And Mixing
- Color: Customized
- Highlight: **300kg mining mixer tank, 250kg gold mining equipment**



### More Images



## Product Description

### Gold copper lead mining ore mixer tank agitation mixer machine


**Mixing tank** is mainly used to blend medicament and ore magma ,it's suitable for blending various kinds of metal and nonmetal ores. Especially it's applied to stir the slurry of concentration not more than 30% and solid granularity particle size less than 1mm in floating, gravity concentrating and wet-type magnetic separation. It is also used to mix flotation agents and other non-metal minerals.



#### Working principle

**Application range** :It is widely used in the mixing of various metal ore and non-metal minerals, and the concentration is not more than 30% (by weight) of pulp with a particle size of less than 1 mm. It can also be used in industrial sectors such as slurry mixing and cyanide plants and sewage treatment plants in the chemical and building materials industries.

- |                     |                        |
|---------------------|------------------------|
| 1. 电机 Motor         | 6. 皮带 Belt             |
| 2. 电机座 Motor Seat   | 7. 支架 Stand            |
| 3. 轴承座 Bearing Seat | 8. 搅拌桶 Agitation Plate |
| 4. 电机轮 Motor Wheel  | 9. 传动轴 Drive Shaft     |
| 5. 皮带轮 Belt Pulley  | 10. 叶轮 Impeller        |



#### Product advantages

The mixing barrel has compact structure and good sealing performance, and a gray ash plate is arranged at the feeding port to prevent the water mist from collapsing. Stir well, the mixing blade is fan-shaped, and the contact area with the medium is large when stirring. The nozzles are arranged in multiple rows, and the water volume is uniform and adjustable. Advanced performance, stable quality of finished products, uniform mixing and rapid discharge.



#### Specifications

Type	Inner Dimensions (mm)	volume(m³)	Speed(r/min)	Power (KW)	Overall (mm)	Weight (t)
MX-500	500	0.098	600	1.1	600×566×954	0.2
MX-750	750	0.33	530	1.5	1085×858×1202	0.7
MX-1000	1000	0.58	530	1.5	1173×1138×1491	1
MX-1200	1200	1.4	340	3	1354×1310×1742	1.1
MX-1500	1500	2.2	320	3	1656×1572×2171	1.2
MX-2000	2000	5.6	290	5.5	2380×2162×2850	1.6
MX-2500	2500	11.2	280	15	3036×2716×3543	3.4
MX-3000	3000	19.1	210	18.5	3604×3216×4250	4.9
MX-3550	3550	30	230	22	3940×3766×5386	7.3
TSO-750	750	0.44	674	3	1085×958×1492	0.9
TSO-1200	1200	1.4	400	5.5		1.2
TSO-1500	1500	2.2	400-440	11	2060×1620×2330	1.6

# **ASCEND** Henan Ascend Machinery Equipment Co., Ltd.

 +86 18221130967

 [wilson\\_ascendme@163.com](mailto:wilson_ascendme@163.com)

 [mining-crushermachine.com](http://mining-crushermachine.com)

Shenglong block, high tech zone, Zhengzhou, China