China

Ascend

cotainer

CE/ISSO9001

HP100 200 HP300 HP400

Water and rust proof in wooden box or

USD 1.6-2.6 Per Kg

T/T, Western Union

10 set per month

Mn18Cr2 Sandivik Bowl Liner

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:

Our Product Introduction

for more products please visit us on mining-crushermachine.com

- Packaging Details:
- Delivery Time: 7-10 working days
- Payment Terms:
- Supply Ability:




Product Specification

- Application:
- Warranty:
- After-sales Service
 Provided:
- Condition:
- Type:
- Material:
- Hot Treatment:
- Spare Parts Supply:
- Keyword:
- Highlight:
- Mining,construction,stone And Ore 1 Year Engineers Available To Service Machinery Overseas New Cone Crusher PARTS High Manganese Mn18Cr2 Water Quenching Anytime Stone Cone Crusher Machine,Fine Stone Jaw Crusher
- high manganese sandvik stone crusher, metso sandivik cone crusher parts



More Images





High Quality Mn18Cr2 Sandivik Cone Crusher Bowl Liner Mantle And Concave Spare Parts


Cone crusher, divided into spring cone crusher and hydraulic cone crusher, is the secondary crusher in mining and quarry industry. It is used to crush medium hard and extremely hard stone, like basalt and granite. The main wear spare parts of cone crusher is mantle and concave, also called bowl liner.

Cone crusher mantle and concave spare parts is usually made of high manganese 13 or high manganese 18, depending on the stone feature. Manganese alloy features " work harden", means the harder the stone, it will hit the mantle and concave surface harder, then the surface of the spare parts will last longer. Manganese content range usually between 13% and 22%, and is usually reference as follows:

14% = 13-14% MN 18% = 17% - 19% MN 21% = 21% - 24% Mn

Casting with any above percentage depends on the customer working situation. Usually the high percentage manganese will last longer, but it is much subject to the material to be crushed. So before casting, the customer should communicate more technical details with our sales engineer. And usually we can cast according to the drawing or spare parts dimensions offered by the customer.

Product pictures





Product range

Cone Crusher	GP100/GP100S/GP200/GP200S/GP300/GP300S/GP500/GP500S/GP550/GP11
	HP100/HP200/HP300/HP400/HP500/HP700/HP800/HP3/HP4/HP5/HP6
Jaw Crusher	C63/C80/C96/C100/C106/C110/C125/C140/C145/C160/C200/C3055
VSI	B6150/B7150/B9100
Cone Crusher	CH420/CH430/CH440/CH660/CH870/CH880/CS420/CS430/CS440/CS660



VSI

CV117/CV118/CV129/CV217/CV219/CV211

Production process









Pattern-Making



Heat Treatment





Painting



Packing

Package and delivery



