



Quarry Mining Impact Stone Crusher Machine For Primary Or Secondary Crushing

Our Product Introduction

Basic Information

- Place of Origin: Zhengzhou, China
- Brand Name: Ascend
- Certification: ISO9001, CE
- Model Number: PF1010 PF1210 PF1212 PF1214
- Minimum Order Quantity: 1 set
- Price: negotiable
- Packaging Details: Large part is non-packed but rustproof and moisture proof then wrapped by plastic sheeting before delivery. The small parts are packed into wooden box.
- Delivery Time: 10-20 working days
- Payment Terms: L/C, T/T, Western Union, MoneyGram
- Supply Ability: 20-50 sets per month



Product Specification

- Type: Impact Stone Crusher
- Usage: Quarry, Mining
- Capacity: 150T/H
- Input Size: <500mm
- Founction: Primary Or Secondary Crushing
- After Sall Service: Engineers Available To Service Machinery Overseas, Online Support, Field Installation, Commissioning And Training, Video Technical Support
- Highlight: **Mining Impact Stone Crusher Machine, Quarry Impact Stone Crusher Machine, Secondary Crushing Impact Stone Crusher**

Impact Stone Crusher Machine is used as a secondary crusher to crush medium and soft mineral & rock, such as limestone, calcite, granite, barite, gypsum, concrete etc.. It's widely used for sand and rock production in the industry of roads, railways, reservoir, electricity power, building materials and so on.

After thorough communication with the customers, the coarse crushing, medium crushing, screening processes are finally used to produce four types of sand and gravel products. The raw materials are fed into the hopper through truck, then it is fed into the coarse crushing jaw crusher through the vibrating feeder. The stone is crushed and transported to the medium crushed impact crusher by the belt conveyor. Then the crushed material is conveyed to the vibrating screen. The qualified fine output sizes are screened out and conveyed out by the conveyor, the oversized material goes back to the tertiary impact for recrushing. This process forms a close circuit.

| Model | Rotor Spec (mm) | Feed opening size (mm) | Max Feed edge(mm) | Capacity (t/h) | Motor Power(kw) | Weight(t) | Overall Dimension (L*W*H)mm |
|-------------|-----------------|------------------------|-------------------|----------------|-----------------|-----------|-----------------------------|
| PF-1007 | 1000*700 | 400*730 | 300 | 30-50 | 37-55 | 9.5 | 2400×1558×2660 |
| PF-1010 | 1000*1050 | 400*1080 | 350 | 50-80 | 55-75 | 12.2 | 2400×2250×2620 |
| PF-1210 | 1250*1050 | 400*1080 | 350 | 70-120 | 110-132 | 14.9 | 2690×2338×2890 |
| PF-1214 | 1250*1400 | 400*1430 | 350 | 110-180 | 132-160 | 18.6 | 2690×2688×2890 |
| PF-1315 | 1320*1500 | 860*1520 | 500 | 160-250 | 180-260 | 19.3 | 3096×3273×2667 |
| PF-1320 | 1320*2000 | 860*2030 | 500 | 160-350 | 300-375 | 28 | 3096×3560×3185 |
| PF-1520 | 1500*2000 | 1315*2040 | 700 | 300-500 | 400-450 | 42.8 | 3890×3560×3220 |
| PE-900*1060 | 900*1060 | 780 | 200-290 | 200-380 | 90-110 | 31 | 2690×2556×2800 |
| PE-900*1200 | 900*1200 | 780 | 95-225 | 220-450 | 110-132 | 49 | 3335×3182×3025 |

[illegible]

Jaw crusher

ASCEND



ASCEND Henan Ascend Machinery Equipment Co., Ltd.

+86 18221130967

wilson_ascendme@163.com

mining-crushermachine.com

Shenglong block, high tech zone, Zhengzhou, China