3YK2460 Mobile Vibrating Sand Screen Machine For Aggregate Limestone Separator

Basic Information

Place of Origin: China
Brand Name: ASCEND
Certification: CE/ISSO9001

• Model Number: 2YK1237 2YK1548 3YK2460

• Minimum Order Quantity: 1 set

Price: 4000-12900 USD Per Set

Packaging Details: Water and rust proof in wooden box or

cotainer

Delivery Time: 7-10 working days
 Payment Terms: T/T, Western Union, L/C





Product Specification

. Supply Ability:

Name: Vibrating Screener Machine

Motor: AC Motor

• Application: Mining Ore, Slag, Quarry

Color: CustomizedWarranty: One Year


Dimension: 5570mmx3086mmx3296mmLayer: 1-5 Layers(as Customized)

Function: Screening/Separation/Sorting/Sieving

• Highlight: 3YK2460 Vibrating Sand Screening Machine,

Vibrating Sand Screening Machine Mobile, Vibrating Screening Machine For Aggregate

Limestone



More Images





3YK2460 Mobile Vibrating Sand Screen Machine For Aggregate Limestone Separator

Product Description

YK Series of Vibrating Screen is also referred to as circular vibrating screen because its movement is approximate to be a circular motion. This series is especially designed for quarry stone and it can be also used for separating and screening products in coal dressing, mineral processing. building materials, electricty and chemical industy. We have multi-mesh screen to screen materials with different sizes.



Advantages of Vibrating Screen

- 1. Stable structure and strong exciting force.
- 2.Less electricity power consumption.
- 3. Handy maintenance and durability.
- 4. Screen easy to disassemble and replace.
- 5. Materials blocked in meshes can be automatically out.
- ${\small 6. Reasonable\ mechanical\ structure, low\ noise\ and\ high\ screening\ efficiency.}$

Detailed Images









Spare Parts



Working Principle

Motor make the exciter eccentric block to produce high speed rotating through V-belt. Operation of the eccentric block to produce big centrifugal force, excited circular motion amplitude sieve boxes do a circular motion. The materials on the sieve box have the impulse in the screen surface inclination and produce a continuous casting movement. Materials and screen surface meet, little than sieve particles through the sieve, and realize the classification.







Main Technical Parameters

Model	Screen	Screen	Mesh	Feeding		Vibrating	Double	Power	Dimension	Weight	Screen	Screen
	layer	area	size	size	(m3/h)	frequency	amplitude	(kw)	(L×W×H)	(without motor)	slope	specification
		(m2)	(mm)	(mm)		(r/min)	(mm)			(t)	(°)	(mm)
YK1237	1	4.4	2-50	200	25-160	970	8	11	3857×2386×241 9	4.8	15-20	1200×3700
2YK1237	2	4.4	2-50	200	25-160	970	8	11	3857×2386×241 9	4.9	15-20	1200×3700
3YK1237	3	4.4	2-50	400	30-180	970	8	11	4057×2386×292 0	5.2	15-20	1200×3700
4YK1237	4	4.4	2-50	400	30-180	970	8	11	4257×2386×292 0	5.3	15-20	1200×3700
YK1548	1	7.2	2-50	200	45-250	970	8	15	4904×2713×285 4	5.9	15-20	1500×4800
2YK1548	2	7.2	2-50	200	45-250	970	8	15	4904×2713×285 4	6.3	15-20	1500×4800
3YK1548	3	7.2	2-50	400	45-280	970	8	15	5104×2713×310 6	6.5	15-20	1500×4800
4YK1548	4	7.2	2-50	400	45-280	970	8	18.5	5304×2713×335 6	6.6	15-20	1500×4800
YK1848	1	8.6	2-50	200	55-330	970	8	15	4904×3041×285 4	6.2	15-20	1800×4800
2YK1848	2	8.6	2-50	200	55-330	970	8	15	4904×3041×285 4	6.9	15-20	1800×4800
3YK1848	3	8.6	2-50	400	55-350	970	8	22	5104×3041×310 6	7.2	15-20	1800×4800
4YK1848	4	8.6	2-50	400	55-350	970	8	22	5304×3041×335 6	7.5	15-20	1800×4800
YK1860	1	10.8	2-50	200	65-350	970	8	22	6166×3041×285 4	6.4	15-20	1800×6000
2YK1860	2	10.8	2-50	200	65-350	970	8	22	6166×3041×285 4	7.1	15-20	1800×6000
3YK1860	3	10.8	2-50	400	65-380	970	8	22	6366×3041×310	7.4	15-20	1800×6000

4YK1860	4	10.8	2-50	400	65-380	970	8	30	6566×3041×335	7.7	15-20	1800×6000
YK2160	1	12.6	2-50	200	80-720	970	8	30	6166×3444×285 4	9.9	15-20	2100×6000
2YK2160	2	12.6	2-50	200	80-720	970	8	30	6366×3444×310 6	11.2	15-20	2100×6000
3YK2160	3	12.6	2-50	400	90-750	970	8	37	6566×3444×335 6	12.4	15-20	2100×6000
4YK2160	4	12.6	2-50	405	90-750	970	8	45	6566×3444×335 6	15.1	15-20	2100×6000
YK2460	1	14.4	2-50	200	150-810	970	8	30	6166×3916×383 9	12.2	15-20	2400×6000
2YK2460	2	14.4	2-50	200	150-810	970	8	30	6166×3916×383 9	13.5	15-20	2400×6000
3YK2460	3	14.4	2-50	400	180-900	970	8	37	6366×3916×413 9	13.6	15-20	2400×6000
4YK2460	4	14.4	2-50	400	180-900	970	8	45	6566×3916×443 9	14.4	15-20	2400×6000

Packing&Shipping











Working Sites








Company Profile

Henan Ascend Machinery & Equipment Co., Ltd. was established in 2005 and it is located in the high-tech zone of Zhengzhou City, Henan Province. As a technology driven mining equipment company, it is committed to the R&D, production, sales and after-sales service of mining machinery and equipment.

The company's main products are crushers, grinding mill equipment, mineral beneficiation equipment, rotary dryer and crusher & grinding mill spare parts. In addition to the Chinese domestic market, Ascend machinery expands its business in more than 160 countries and regions.

Our Workshop



FAQ

Q1. Are you factory or trading company?

We are factory specialized in manufacturing stone crushers, grinding mills, beneficiation equipments and other mining equipments. Our office and factories are based in Zhengzhou, China. Because we are factory, so we can guarantee the machine quality and we can give you very competitive factory price without extra agent cost.

Q2. To which country your products have been exported before?

In Africa, We have exported to Sudan, Kenya, Zambia, Ethiopia, Zimbabwe, Guinea, Nigeria and so on. We also exported South Africa, Chile, Peru, Ecuador, New Zealand, America, Austrilia more than 160 countries. Our equipment and service have won very high reputation in these countries.

Q3. How will you help the customer install the equipment?

We will send our senior engineer to your place to guide the installation and commissioning.

Q4. How about the wear parts supply?

We offer wear parts to our customer with our most favorable price. If there are problems you could not handle, we will send our technicians to your place.

Q5.What about the payment method?

T/T, Paypal, Western Union, L/C is available.

Q6.What about after-sale service?

12 months warranty for all kinds of products; and you will get our 7*24h online service.

Related Products

Granite Barite Gypsum Horizontal Mining Rock Coal Hammer Mill

Gravel Rock Granite Spring

<u>Shaft Impact Crusher Mining And</u> <u>Crusher Machine Electric Motor</u>

Symons Roller Cone Crusher





PE250x400 Jaw Stone Crusher

Machine

Grinding Gold Wet Pan Mill

Grinding Ball Mill Crusher

Contact Us

ASCEND Henan Ascend Machinery Equipment Co., Ltd.

+86 18221130967





e mining-crushermachine.com

Shenglong block, high tech zone, Zhengzhou, China