70 80 90tph capacity PF-1010 PF-1210 models impact crusher machine for limestone dolomite rock in Africa

Basic Information

Place of Origin: CHINABrand Name: ASCENDCertification: ISO9001

• Model Number: PF-0607,PF-0807,PF-1008,PF-1010,PF-

1210,PF-1212,PF-1214,PF-1315

• Minimum Order Quantity: 1set

Price: USD 5800-7000 set

Packaging Details: Water and rust proof in wooden box or

containeı

Delivery Time: 7-10 work days
Payment Terms: T/T, Western Union
Supply Ability: 30 set per month



Product Specification

• Product Name: Impact Crusher

• Keyword: Fine Stone Impact Crusher

Type: Limestone Crusher
Applicable Industry: Energy&Mining
Warranty Period: Warranty Period

Highlight: limestone dolomite rock impact crusher

machine

, 90tph impact crusher machine,

PF-1010 PF-1210 impact crusher machine



More Images







China Ascend impact crusher machine


Impact crushers are ideal for crushing medium hard brittle materials of coarse, secondary and fine crushing stages, such as limestone, dolomite, sandstone, graphite, rock salt, granite and basalt. Impact crusher have high reduction ratio, unequaled output, uniform production size, compact process, simple construction, easy operation and maintenance.





Working Principle

The feed enters the primary crushing chamber and meets the breaker bars which impel the feed against the front breaker plate. This action and the collision of material against new feed results in impact reduction. Material is sufficiently reduced in the primary chamber and passed by the front breaker plate, entering the secondary chamber for final reduction. Breaker plates are shaft suspended at the front and from a spindle in the rear, allowing for continuous gap adjustment as wear progresses and assuring superior product control.



Specification

Model	Size of rotor (mm)	Feed opening (mm)	Max. feed size (mm)	Capacity (t/h)	Power of Motor (kW)	Weight (t)
PF1010	Φ1000×1050	400×1080	350	50-80	75	12.5
PF1210	Φ1250×1050	400×1080	350	70-130	110	16.5
PF1214	Φ1250×1400	400×1430	350	90-180	132	19
PF1315	Φ1320×1500	860×1520	500	120-250	200	24
PF1320	Φ1320×2000	860×2030	500	160-350	260	27

Adantage of Impact crushers

High reduction ratios up to 30:1

Cubical gravel crusher with high crush count.

Selective crushing by speed and breaker plate adjustment

Interchangeable wear parts

Capacities from 5 to 1,600 TPH

Available with front or rear opening housings

Feed sizes up to 16"

One-man changeout of breaker bars

Application



Working site











Contact us

Contact: Wilson

Mobile: +86-18221130967

Email: wilson_ascendme@163.com



Wechat















