# 6S Gold Shaking Table Gravity Separator Gold With High Efficiency 1-1.5 Tph Recovery Gold

# Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 set
- Price:
- Packaging Details:
- Delivery Time: 7-10 work days
- Payment Terms: T/T, Western Union
- Supply Ability: 20 set per month



## Product Specification

- Product Name:
- Keywords:
- Application:
- Advantage:
- Warranty Period:
- Highlight:
- 6-s Shaking Table
  - Gold Separation Machine
- Gold Mining

CHINA

ASCEND

ISO9001

container

USD 1200-1400 set

Water and rust proof in wooden box or

6-S

- High Efficiency Low Energy
- 1 Year
  - 6S Gold shaking table, Gravity Separator Gold shaking table, 1.5 tph shaking table



## More Images







## 6S Gold shaking table gravity separator gold with high efficiency 1-1.5 tph recovery gold

### **Product Description**


Shaking tables are often used to select gold, and sometimes copper and other heavy metals. Select a vibrating table by setting the vibration intensity based on the density/weight of the metal. China Ascend shaking table have the advantages of high efficiency, high recovery rate and low production cost, and are often used in conjunction with wet disc mills and gold carvings to separate gold from deposited gold.





### **Working Principle**

When the shaking table start working, the material and water enter the feed tank from the feed inlet, and then go to the shaking table, the motor drives the shaking table to shake, so as to screen out concentrate and tailings, then the concentrate and tailings come out from different outlets.




Specification

| Model          | Stroke(mm) |                  | Time/mi<br>n |                       | Surface size of table(mm) | Motor(kw<br>)       | Overall<br>dimensions(mm) |               | Surface weigh<br>of table(kg) |
|----------------|------------|------------------|--------------|-----------------------|---------------------------|---------------------|---------------------------|---------------|-------------------------------|
| 6-S            |            | 10-30 240        |              | 360 152×1825×450<br>0 |                           | 1.1                 | 5454×1825×1242            |               | 1012                          |
|                |            | Feed<br>size(mm) |              | Mine density(%)       |                           | Flushing water(t/h) |                           | Capacity(t/h) |                               |
| Coarse<br>sand |            | 2.0-2.5          |              | 20-30                 |                           | 0.7-1.0             |                           | 1.0-1.8       |                               |
| Fine sand      |            | 0.5-0.074        |              |                       | 18-25                     | 0.7-1.0             |                           | 0.5-1.0       |                               |
| Ore mud        |            | -0.074           |              |                       | 15-20                     | 0.4-0.7             |                           | 0.3-0.5       |                               |

## Package & Delivery



Customer's Working Site



We also supply



Contact us



Shenglong block, high tech zone, Zhengzhou, China